


**precision.
inventiveness.
willpower.**



Juicers Blenders Bar Equipment

Commercial Catalogue 2024

ceado
barcult ●

Ceado is
**Stability in
Performance.**



hand made
in venice.

Manufacturing of
coffee grinders, burrs,
bar equipment and
coffee brewer.

ceado
barcult ●



Ceado Barcult Technologies.



Motor cooling system



Total cost of ownership is at the center of what we do. The **patented cooling system** will protect your professional tools and keep them running for long, hassle free.

*Ceado pensa ai prodotti partendo dal prezzo d'acquisto, con l'obiettivo di ridurre anche i costi di gestione durante il ciclo di vita. Il nostro **sistema di raffreddamento brevettato** protegge le tue attrezzature facendole durare più a lungo e senza problemi.*



Double Whisk Kit

The first agitator consists of a **double whisk** and is suitable for ice-cream based preparations. The second agitator consists of a **single whisk** and is suitable for mixing milk or preparing iced shaken coffee.

*Il primo agitatore è costituito da una **doppia ventola** ed è indicato per le preparazioni a base di gelato. Il secondo agitatore è formato da una **ventola singola** ed è indicato per miscelare latte o preparare caffè shakerati.*




ceado
barcult ●

Noise Reduction




Work at the bar has never been so quiet. Thanks to the design and engineering, Ceado products work so silently that you will not even realize they are in operation.

Lavorare al bar non è mai stato così silenzioso. Grazie al design e all'ingegneria, i prodotti Ceado lavorano in maniera talmente silenziosa che ti sembrerà di non averli accesi.



Sound Level Comparison



Juice Fit

Minimize waste



Meticulous attention has been paid to the **design**, to ensure **minimal waste and best performance**, for even the hardest to juice leafy vegetables.

*Una ricerca meticolosa nel **design** per **minimizzare gli sprechi garantendo la resa migliore** anche dall'estrazione del succo da vegetali in foglia.*



Work Smarter

Ceado Plus: Smart Control



Ceado Blender App allows the programming of automatic cycles, straight from a smartphone or tablet. Endless recipes to create and share, to optimise work and improve the production of mixes or bases for cocktails.

Ceado Blender App consente la programmazione dei cicli automatici, direttamente da smartphone o tablet. Infinite ricette, da creare e condividere, per ottimizzare il lavoro e migliorare la produzione di miscele o basi per cocktail.




Dynamic spin



The experience of Ceado in the blender sector has allowed the development of specific **designs for blades and pressing systems**, capable of balancing the consistency of any preparation, associating it to high production performance.

*L'esperienza Ceado nel settore dei blender ha permesso lo sviluppo di specifici **design per lame e sistemi di pressatura**, capaci di equilibrare la consistenza di ogni preparazione, associando alte performance produttive.*



ceado
barcult



Juicers.

ceado
barcult ●

ES900

Juice Extractor.



**On-counter
or through the
counter.**

Easy to switch between **through
the counter** and **on-counter** use.

**Up to 180 l
of fruits and
vegetables
per hour.**



ES900

Juice Extractor
High turnover juice bars.

Technical data

Voltage Alimentazione	220-240V • 50-60 hz
Power Motore	1000 W
Rpm 50hz / 60hz	3000 / 3600 rpm
Net weight Peso netto	23,0 kg
Gross weight Peso lordo	27,0 kg
Dimensions	290 x 538 x 530h mm
Feed Chute Diametro tubo	ø 50 mm - ø 75 mm



Features

- Through the counter easy adapter**
Adattatore per espulsione attraverso il bancone
- Pulp Retainer**
- Noise Reduction**
- Magnetic Control**
- Non-stop service** *Operatività non-stop*
- Dishwashing quick and easy** *Lavaggio rapido in lavastoviglie*
- Easy assembling** *Assemblaggio facile*
- Light alloy body** *Corpo in lega leggera*



Note: Additional voltage models available.

ceado
barcult ●

ES700

Juice Extractor.

Up to 160 l
of fruits and
vegetables
per hour.

ES700

Juice Extractor
High turnover juice bars.

Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	800 W
Rpm 50hz / 60hz	3000 / 3600 rpm
Net weight <i>Peso netto</i>	19,2 kg
Gross weight <i>Peso lordo</i>	21,5 kg
Dimensions	290 x 538 x 512h mm
Feed Chute <i>Diametro tubo</i>	ø 50 mm - ø 75 mm



Features

- Pulp Retainer**
- Noise Reduction**
- Magnetic Control**
- Non-stop service** *Operatività non-stop*
- Dishwashing quick and easy** *Lavaggio rapido in lavastoviglie*
- Easy assembling** *Assemblaggio facile*
- Light alloy body** *Corpo in lega leggera*

Note: Additional voltage models available.



ceado
barcult ●

ES500

Juice Extractor.



Up to 120 l
of fruits
per hour.



ES500

Juice Extractor
Medium turnover juice bars.



Technical data

Voltage Alimentazione	220-240V • 50-60 hz
Power Motore	700 W
Rpm 50hz / 60hz	3000 / 3600 rpm
Net weight Peso netto	14,4 kg
Gross weight Peso lordo	16,4 kg
Dimensions	242 x 495 x 512h mm
Feed Chute Diametro tubo	ø 75 mm

Features

- Pulp Retainer**
- Noise Reduction**
- Magnetic Control**
- Non-stop service** Operatività non-stop
- Dishwashing quick and easy** Lavaggio rapido in lavastoviglie
- Easy assembling** Assemblaggio facile
- Light alloy body** Corpo in lega leggera

Note: Additional voltage models available.



ceado
barcult

SL98

Citrus Juicer.



**Stainless steel
universal
reamer.**



SL98

Citrus Juicer



Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	300 W
Rpm <i>50hz / 60hz</i>	1400 rpm
Net weight <i>Peso netto</i>	8,5 kg
Gross weight <i>Peso lordo</i>	9,8 kg
Dimensions	190 x 300 x 360h mm

Features

- Juice Fit**
- Noise Reduction**
- Light alloy body** *Corpo in lega leggera*
- Safety cut-out** *Protezione termica*

Note: Additional voltage models available.



ceado
barcult ●

S98

Citrus Juicer.



Two
interchangeable
reamers.



S98

Citrus Juicer

Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	250 W
Rpm 50hz / 60hz	1400 rpm
Net weight <i>Peso netto</i>	6,5 kg
Gross weight <i>Peso lordo</i>	7,8 kg
Dimensions	190 x 300 x 380h mm



Features

- Juice Fit**
- Noise Reduction**
- Light alloy body** *Corpo in lega leggera*
- Safety cut-out** *Protezione termica*

Note: Additional voltage models available.



ceado
barcult ●

Make great profits with the Ceado #juicebusiness

Freshly squeezed juice generates more profit than bottled juice.

Il succo fresco genera più profitti rispetto al succo in bottiglia.

Fast Profits

Juices per day	Return on investment	Business target
10	8 weeks	Entry Level
20	4 weeks	Small Bar
30	2 weeks	Medium Juice Bar

By selling only 10 juices per day, your investment is recovered in just 8 weeks. In a medium Juice Bar with 30 juices per day, **you can start looking at its profits** in just about 2 weeks!

*Con solo 10 succhi al giorno rientri dall'investimento in appena 8 settimane. In un Juice Bar medio con 30 succhi al giorno, **puoi iniziare a realizzare profitti** in sole 2 settimane!*

Healthy Lifestyle

The market is looking more and more toward natural and healthy beverages. Ceado **Juice Fit** technology extracts the juice at low temperature, therefore preserving all natural vitamins.

*Il mercato richiede sempre più bevande naturali e salutari, la tecnologia **Juice Fit** di Ceado estrae il succo a bassa temperatura preservando tutte le vitamine naturali.*



EASY RECIPES!

The necessary **ingredients** are few and inexpensive, making it easy to mix them in order to produce lots of recipes.

*Gli **ingredienti** necessari sono pochi e poco costosi, rendendo facile mescolarli per produrre molte ricette.*

	Tonic 150gr Oranges , 200gr Apple , 200gr Carrots	=	
	Classic 200gr Apple , 200gr Carrots , 2cm Ginger Root	=	
	Zest 200gr Apple , 150gr Lemons , 200gr Leafy Greens	=	
	Green 500gr Leafy Greens	=	
	Detox 200gr Apple , 200gr Carrots , 2cm Ginger Root , 100gr Leafy Greens	=	

Fruit juices described here are the most requested and profitable, but with **Ceado Barcult Juicers**, many other recipes are available. We recommend using seasonal produce, locally grown.

*I succhi freschi descritti sono i più richiesti e redditizi, ma con i **Juicers Ceado Barcult** sono realizzabili tante altre ricette. Consigliamo i prodotti di stagione e a km zero.*

1 serving 300ml

ceado
barcult ●



Blenders.

ceado
barcult ●



b.stronger
new blenders squad.

The new range of High Performance Blenders.

More powerful blenders

for high demanding professionals.

Jugs designed for higher quality drinks.

Renewed design, essential and sleek.

A range of **6 blenders** for every need.

Ceado Barcult: a squad for professionals.

Blender più potenti

per i professionisti più esigenti.

Bicchieri disegnati per una maggiore
qualità delle preparazioni.

Design rinnovato, essenziale ed
elegante.

Una gamma di **6 blenders** per ogni tipo
di esigenza.



B285 Silent Blender.


ceado.

B285 Silent Plus

B285 Plus model, **Ceado Blender App** allows the programming of automatic cycles, straight from a smartphone or tablet. Endless recipes to create and share, to optimise work and improve the production of blends or bases for cocktails.

Nel modello **B285 Plus**, **Ceado Blender App** consente la programmazione dei cicli automatici, direttamente da smartphone o tablet. Infinite ricette per ottimizzare il lavoro e migliorare la produzione di miscele o basi per cocktail.

Download the
official Ceado
Blender App.



B285



B285IC

B285 Blender

Technical data

B285

Voltage Alimentazione	220-240V · 50-60 hz
Power Motore	1700 W
Rpm 50hz / 60hz	3000 / 28000 rpm
Net weight Peso netto	8,7 kg
Gross weight Peso lordo	9,7 kg
Dimensions	195 x 220 x 470h* mm

B285IC

Voltage Alimentazione	220-240V · 50-60 hz
Power Motore	1700 W
Rpm 50hz / 60hz	3000 / 28000 rpm
Net weight Peso netto	8,5 kg
Gross weight Peso lordo	9,5 kg
Dimensions	195 x 315 x 330h** mm

*B285 600h open/ **B285IC 460h open
Note: Additional voltage models available.

Features

New powerful motors

B285 Plus Blender App for automatic cycles

B285 Plus Blender App per cicli automatici

Dynamic Spin

Juice Fit

Noise Reduction

Manual mode Funzionamento manuale

Square 1.5l jug Contenitore 1,5l



ceado
barcult

B284 Feel Blender.



Manual mode.
Manual Specialty
Blender.



B284 Blender

Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	1700 W
Rpm 50hz / 60hz	1500 / 28000 rpm
Net weight <i>Peso netto</i>	4,3 kg
Gross weight <i>Peso lordo</i>	5,1 kg
Dimensions	195 x 180 x 450h mm

Note: Additional voltage models available.



Features

- New powerful motors**
- Dynamic Spin**
- Juice Fit**
- Manual mode** *Funzionamento manuale*
- Square 1.5l jug** *Contenitore 1,5l*



ceado
barcult ●

B283 Tech Blender.

ceado.

B283 Tech Plus


B283 Plus model, **Ceado Blender App** allows the programming of automatic cycles, straight from a smartphone or tablet. Endless recipes to create and share, to optimise work and improve the production of blends or bases for cocktails.

Nel modello **B283 Plus**, **Ceado Blender App** consente la programmazione dei cicli automatici, direttamente da smartphone o tablet. Infinite ricette per ottimizzare il lavoro e migliorare la produzione di miscele o basi per cocktail.

Download the
official Ceado
Blender App.

GET IT ON
Google Play

Download on the
App Store



B283 Blender



Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	1700 W
Rpm <i>50hz / 60hz</i>	3000 / 28000 rpm
Net weight <i>Peso netto</i>	4,3 kg
Gross weight <i>Peso lordo</i>	5,1 kg
Dimensions	195 x 180 x 450h mm

Features

New powerful motors

B283 Plus Blender App for automatic cycles

B283 Plus Blender App per cicli automatici

Dynamic Spin

Juice Fit

Manual mode *Funzionamento manuale*

Square 1.5l jug *Contenitore 1,5l*



Note: Additional voltage models available.

ceado
barcult

B280 Special Blender.



2 Speed Motor.
Specialty
Blender.



B280 Blender

Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	1700 W
Rpm 50hz / 60hz	15000 / 23000 rpm
Net weight <i>Peso netto</i>	4,2 kg
Gross weight <i>Peso lordo</i>	5 kg
Dimensions	195 x 180 x 450h mm



Features

- New powerful motors**
- Dynamic Spin**
- Juice Fit**
- Speed selection** *Selezione della velocità*
- Pulse mode** *Modalità impulso*
- Square 1.5l jug** *Contenitore 1,5l*

Note: Additional voltage models available.



ceado
barcult ●

B185 Barman Blender.

2 Speed Motor.
Bar Blender.



B185 Blender

Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	1400 W
Rpm <i>50hz / 60hz</i>	15000 / 23000 rpm
Net weight <i>Peso netto</i>	4,2 kg
Gross weight <i>Peso lordo</i>	5 kg
Dimensions	195 x 180 x 450h mm

Features

- New powerful motors**
- Dynamic Spin**
- Juice Fit**
- Speed selection** *Selezione della velocità*
- Pulse mode** *Modalità impulso*
- Square 1.5l jug** *Contenitore 1,5l*

Note: Additional voltage models available.



ceado
barcult ●

B180 Lifestyle Blender.



**2 Speed Motor.
Bar Blender.**



B180 Blender

Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	1000 W
Rpm <i>50hz / 60hz</i>	12000 / 20000 rpm
Net weight <i>Peso netto</i>	3,9 kg
Gross weight <i>Peso lordo</i>	4,7 kg
Dimensions	195 x 180 x 450h mm



Features

- New powerful motors**
- Dynamic Spin**
- Juice Fit**
- Speed selection** *Selezione della velocità*
- Pulse mode** *Modalità impulso*
- Square 1.5l jug** *Contenitore 1,5l*

Note: Additional voltage models available.



ceado
barcult ●



**Bar
Equipment.**

ceado
barcult ●

M98 M98T

Mixer.

Available in
stainless steel or
polycarbonate
container.

Double Whisk
Kit: double and
single whisk.

M98 M98T

Mixer

Technical data

M98 - M98T*

Voltage <i>Alimentazione</i>	220-240V · 50-60 hz
Power <i>Motore</i>	300 W
Rpm 50hz / 60hz	15000 rpm
Net weight <i>Peso netto</i>	3,7 kg
Gross weight <i>Peso lordo</i>	4,5 kg
Dimensions	180 x 210 x 485h mm

M98/2 - M98T/2*

Voltage <i>Alimentazione</i>	220-240V · 50-60 hz
Power <i>Motore</i>	300 + 300 W
Rpm 50hz / 60hz	15000 rpm
Net weight <i>Peso netto</i>	6,7 kg
Gross weight <i>Peso lordo</i>	7,7 kg
Dimensions	310 x 210 x 485h mm

*M98T M98T/2 MP98T with the polycarbonate container
Note: Additional voltage models available.



M98



M98/2



MP98

Features

Double Whisk Kit: double and single whisk
Kit doppia ventola: doppia e singola ventola

Stainless steel container
Polycarbonate container

MP98 - MP98T*

Voltage <i>Alimentazione</i>	220-240V · 50-60 hz
Power <i>Motore</i>	300 W
Rpm 50hz / 60hz	15000 rpm
Net weight <i>Peso netto</i>	2,9 kg
Gross weight <i>Peso lordo</i>	3,8 kg
Dimensions	100 x 150 x 440h mm

G30

Ice Crusher.



The safety system activates when the lever is lifted.



G30

Ice Crusher



Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	300 W
Rpm 50hz / 60hz	1400 rpm
Net weight <i>Peso netto</i>	8,7 kg
Gross weight <i>Peso lordo</i>	10,8 kg
Dimensions	210 x 450 x 430h mm
Productivity <i>Produttività</i>	120 kg/h

Features

Safety system

Fine ice crystals in a few seconds

Ghiaccio fine in pochi secondi

Crafted entirely from metal components

Costruito utilizzando solo componenti in metallo

Note: Additional voltage models available.



V90

Ice Crusher.

The patented
ice-crushing
system.



V90

Ice Crusher

Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	150 W
Rpm <i>50hz / 60hz</i>	900 rpm
Net weight <i>Peso netto</i>	3,9 kg
Gross weight <i>Peso lordo</i>	5,0 kg
Dimensions	210 x 230 x 460h mm
Productivity <i>Produttività</i>	120 kg/h



Features

- Safety system**
- Muddled drinks ice** *Ghiaccio adatto a cocktails pestati*
- Light alloy housing** *Struttura in lega leggera*
- Stainless steel container** *Contenitore in acciaio inox*

Note: Additional voltage models available.

M105

Soft Ice Cream
Mixer.



M105R
With removable
agitator shaft for
use with spoons.
Spoons not included.



M105

Soft Ice Cream
Mixer



Technical data

Voltage Alimentazione	220-240V • 50-60 hz
Power Motore	250 W
Rpm 50hz / 60hz	1400 rpm
Net weight Peso netto	8,0 kg
Gross weight Peso lordo	9,3 kg
Dimensions	250 x 175 x 540h mm

Features

Better blending of ingredients

Migliore miscelazione degli ingredienti

Preventing the ice cream or yogurt from melting or separating

Previene che il gelato o lo yogurt si sciolgano o si separino

Steel housing *Struttura in acciaio*

Note: Additional voltage models available.

G110

Combined Units.



**Three-in-one
multiple group.
Separate motors.**



G110

Combined Units



Technical data

Voltage <i>Alimentazione</i>	220-240V • 50-60 hz
Power <i>Motore</i>	300 + 300 + 900 W
Net weight <i>Peso netto</i>	21,5 kg
Gross weight <i>Peso lordo</i>	23,0 kg
Dimensions	330 x 530 x 480h mm

Features


- Ice-shaver** *Tritaghiaccio*
- Automatic citrus juicer** *Spremiagrumi a leva*
- Blender** *Frullatore*
- Light alloy body** *Struttura in lega leggera*
- Separate motors** *Motori indipendenti*

Note: Additional voltage models available.

QS1

Ice Cream Press.

Full range of
accessories on
request.



QS1

Ice Cream Press

Technical data

Net weight <i>Peso netto</i>	2,5 kg
Gross weight <i>Peso lordo</i>	3,5 kg
Dimensions	180 x 390 x 545h mm



Features

Complete with insert for preparing spaghetti ice cream *Fornito completo di trafilatura per la preparazione di spaghetti gelato*
Light alloy body *Struttura in lega leggera*

**precision.
inventiveness.
willpower.**

Certifications list

Please confirm with Ceado srl if your product of choice has one of the certification below:



info@ceado.com

www.ceado.com



Management
System
ISO 9001:2015
www.tuv.com
ID 9108637831



Spinea - Venezia, Italy
Via della Costituzione, 111
T +39 041 5030767 F +39 041 5038413



**hand made
in venice.**

© Ceado srl All rights reserved - April 2024

Data are indicative, referred to our internal tests. Designs and specifications of the products in this price list can be modified without prior notice.

ceado
barcult ●