

Coffee Grinders' Comparative Chart

ON DEMAND GRINDERS	Burrs	rpm		Average Output g/s		Hopper Capacity	Power	Grinding Adjustment Type		
		mm	50hz	60hz	50hz			60hz	kg	W
								Micrometrical Stepless	Infinitesimal Stepless	Infinitesimal Stepless
E6P Brewing	Flat 64 brewing	1380	1650	2,5	3	0.6	300	●	×	×
E5P	Flat 64	1380	1650	1,7	2	0.6	300	●	×	×
E6P	Flat 64	1380	1650	1,7	2	0.6	300	●	×	×
E7P	Flat 64	1480	1700	3	3,6	1.6	400	●	×	×
E37J	Flat 64	1380	1650	1,7	2	0.6	300	×	●	×
E37R	Flat 64	1480	1700	3	3,6	1.6	400	×	●	×
E37S	Flat 83	1480	1700	4	5	1.6	500	×	×	●
E37SL	Flat 83	1480	1700	4	5	1.6	500	×	×	●
E37T	Flat 83 TIN plated	1480	1700	5	6	1.6	740	×	×	●
E37K	Conical 71	360	290	5,5	4,5	1.6	850	×	×	●

	Steady Lock Grinder	Sound Proofing	Thermal cut-out	Fan	Dose Setting	Dosing		Porta-filter holder	Touch Display	Start	Shot Counter
						Free	Preset				
E6P Brewing	●	×	●	×	digital	●	●	wdt cup holder	●	pulse button	●
E5P	●	×	●	×	×	●	×	●	×	pulse button	×
E6P	●	×	●	×	digital	●	●	●	●	pulse button	●
E7P	●	×	●	×	digital	●	●	●	●	pulse button	●
E37J	●	●	●	×	digital	●	●	●	●	portafilter	●
E37R	●	●	●	×	digital	●	●	●	●	portafilter	●
E37S	●	●	●	×	digital	●	●	●	●	portafilter	●
E37SL	●	●	●	●	digital	●	●	●	●	portafilter	●
E37T	●	●	●	●	digital	●	●	●	●	portafilter	●
E37K	●	●	●	●	digital	●	●	●	●	portafilter	●

Description: ● included X not available

Average output is calculated at standard Italian Espresso Consistency

(Italian Espresso basic numbers: 7g of ground coffee, 25-30 ml of espresso in 25-30s extraction time).

SINGLE DOSE GRINDERS	Burrs	rpm		Power	Grinding Adjustment Type			Steady Lock Grinder		
		mm	50hz		60hz	W	Classic		Quick Set	Quick Set Gear Tech
							Micrometrical Stepless		Infinitesimal Stepless	Infinitesimal Stepless
E37Z-Barista	Flat 83	1480	1700	900	X	X	●	●		
E37Z-Hero	Flat 83 DLC coated	600	1500	740	X	X	●	●		
E37Z-Naked	Flat 83 DLC coated	960	1150	740	X	X	●	●		
E37SD	Flat 83 Opalglide™ SD	960	1150	400	X	X	●	●		
E5SD	Flat 64 Opalglide™ SD	1380	1650	300	●	X	X	●		

	Sound Proofing	Thermal cut-out	Fan	Dose Setting	Dosing		Portafilter holder	Touch Display	Start	Shot Counter
					Free	Preset				
E37Z-Barista	X	●	●	digital	●	●	●	●	portafilter	●
E37Z-Hero	X	●	●	X	●	X	X	X	toggle switch	X
E37Z-Naked	X	●	●	X	●	X	X	X	pulse button	X
E37SD	●	●	X	X	●	X	X	X	pulse button	X
E5SD	X	●	X	X	●	X	wdt cup holder	X	pulse button	X

RETAIL GRINDERS	Burrs	rpm		Average Output g/min		Hopper Capacity	Power	Grinding Adjustment Type					
		mm	50hz	60hz	50hz			60hz	kg	W	Classic	Quick Set	Quick Set Gear Tech
											Micrometrical Stepless	Infinitesimal Stepless	Infinitesimal Stepless
E8D	Flat 83 k110	1480	1700	270	330	1.6	740	X	●	X			

	Steady Lock Grinder	Sound Proofing	Thermal cut-out	Fan
E8D	●	●	●	●

Description: ● included X not available

Average output is calculated at standard Italian Espresso Consistency

(Italian Espresso basic numbers: 7g of ground coffee, 25-30 ml of espresso in 25-30s extraction time).



hand made
in venice

Ceado srl

Spinea - Venezia, Italy
Via della Costituzione, 111
T +39 041 5030767
F +39 041 5038413
info@ceado.com
www.ceado.com



Photo by:

Lorenzo Barutta

Special thanks to:

Lago Spa & Lago's people
Showbar.it
Palazzo delle Misture
Al Quèrto
Arte in Cucina
Gelateria Caffetteria Marina
Devoción USA

Certifications list



© Ceado srl - all rights reserved - 10/2021 Host Milano edition

Data are indicative, referred to our internal tests.
Designs and specifications of the products in this catalogue
can be modified without prior notice.

*I dati riportati sono indicativi, riferiti a test interni.
L'azienda si riserva di modificare in qualunque momento
e senza preavviso le caratteristiche dei prodotti.*



Management
System
ISO 9001:2015

www.tuv.com
ID: 9108637831

